

MATERIAL SAFETY DATA SHEET #4007

20005 Lake Road, Rocky River, OH 44116-1545 **DATE ISSUED:** 4/3/00 **Emergency Phone:** LESCO: (440) 333-9250 **SUPERSEDES:** 12/17/99

CHEMTREC: (800) 424-9300 PRODUCT IDENTIFICATION

Product: LESCO Three Way Selective Herbicide Chemical Family: Mixture of chlorophenoxy and benzoic

Chemical Name/Synonyms: 2,4-D, MCPP, Dicamba acid herbicides

II. PRODUCT INFORMATION: INGREDIENTS

•	1 KOBOOT IIII OKMIATION: INOKEBIENTO				
	Chemical Name	TLV/TWA	%(by wt.)	CAS#	_
	Dimethylamine salt of 2,4-dichlorophenoxy	_			
	acetic acid	10 mg/m ³	30.56	2008-39-1	
	Dimethylamine salt of 2-(2-methyl-4-				
	chlorophenoxy) propionic acid	ND	16.34	32351-70-5	
	Dimethylamine salt of (3,6-dichloro-O-				
	anisic acid)	ND	2.77	1918-00-9	
	Other Ingredients including water	ND	50.33	MIXTURE	

III. PHYSICAL AND CHEMICAL CHARACTERISTICS

Boiling Point: 216EF Specific Gravity (water=1): 1.12-1.18

Melting Point: NA Bulk Density (lbs./cu. ft.): NA Vapor Pressure (mm Hg): 16.5 @ 20EC Evaporation Rate: NA

Vapor Density (air = 1): Water Vapor Percent Volatile: 48 as water

Solubility in Water: Soluble Appearance and Odor: Brown liquid, pungent

pH: 8.0 - 9.0 amine odor

IV. FIRE AND EXPLOSION HAZARD DATA

Flash Point (method Used): NA
Lower Explosion Limits: NA
Upper Explosion Limits: NA
Upper Explosion Limits: NA

NFPA/HMIS RATING: HEALTH 2 FIRE 1 REACTIVITY 0 Extinguishing Media: [X] Foam [] Alcohol Foam [] Dry Chemical

[] Other [] CO₂

Special Fire-Fighting Procedures: Wear NIOSH approved positive pressure, self-contained breathing apparatus. Foam system is preferred because uncontrolled water can spread possible contamination. Prevent run-off from entering drains, sewers or bodies of water.

Unusual Fire and Explosion Hazards: Toxic irritating gases may be formed. Combustion products may include hydrogen chloride, nitrogen oxides, carbon dioxide and carbon monoxide. Product not flammable or combustible.

V. HEALTH HAZARDS

Primary Route(s) of Entry: Skin, eyes, inhalation, ingestion.

Signs & Symptoms of Exposure

Acute: Harmful if swallowed. May cause nausea, vomiting, abdominal pains, myotonia, muscle weakness and fall in blood pressure. Harmful if inhaled. May be irritating to the respiratory tract. May cause skin irritation, seen as redness and swelling. **Causes irreversible eye damage**, seen as corneal opacity. Vapors or spray mists are irritating to the eyes. No significant adverse effects are anticipated from skin absorption.

Chronic: Repeated overexposure to 2,4-D herbicides may cause liver, kidney, gastrointestinal and muscular effects. Rare cases of peripheral nerve damage have been reported, but extensive animal studies have failed to substantiate these observations, even at high doses for prolonged periods.

Emergency First-Aid Procedures

Eyes: Immediate and continuous irrigation with flowing water for at least 30 minutes is imperative.

Prompt medical consultation is essential, preferably an Ophthalmologist.

Skin: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician if irritation persists. Wash clothing before reuse. Remove and discard contaminated leather items, such as shoes, belts and watchbands.

Inhalation: Remove to fresh air if effects occur. Consult a physician.

Ingestion: If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Call a physician. Never give anything by mouth to an unconscious person.

Notes to Physician: Excessive exposure may cause liver, kidney, gastrointestinal and muscular effects. Supportive care is indicated. All treatments should be based on observed signs and symptoms of distress in the patient. Overexposure to materials other than this product may have occurred. This product contains salts of two phenoxy and one benzoic acid herbicides. Mycotoxic effects may include muscle fibrillations, myotonia and muscular weakness. Ingestion of massive doses may result in persistent fall of blood pressure. Myoglobin and hemoglobin may be found in urine. Elevations in lactate dehydrogenase (LDH), SGOT, SGPT and aldolase indicate the extent of muscle damage. It has been suggested that overexposure in humans may

affect both the central and peripheral nervous systems. The acute effects on the central nervous system resemble those produced by alcohol or sedative drugs. In isolated cases, peripheral neuropathy and reduced nerve conduct velocities have been reported although these observations may be related to other factors. Gas-liquid chromatography for detecting and measuring chlorophenoxy compounds in blood and urine may be useful in confirming and assessing the magnitude of chlorophenoxy absorption.

Toxicity Information:

Oral LD₅₀: Acute: 1780 mg/kg (Rat) Dermal LD₅₀: Acute: >2000 mg/kg (Rabbit)

Inhalation LC₅₀: >4 mg/l -4 hour (Rat) Eye Irritation: Severe Skin Irritation: Minimal to Moderate

Positive Teratogen or Mutagen Carcinogen(NTP): No Potential Carcinogen (OSHA): No

IARC has listed phenoxy acetic acid herbicides in category 2B, limited evidence of carcinogenicity. Various animal cancer tests have shown no reliably positive associations between 2,4-D exposure and cancer. Epidemiology studies on herbicide use have been both positive and negative with the majority being negative.

VI. REACTIVITY

Stability: [X] Stable [] Unstable

Conditions to Avoid: Avoid elevated temperatures.

Incompatibility: Do not mix with acids and oxidizing materials.

Hazardous Decomposition Products: Hydrogen chloride, nitrogen oxides under fire conditions.

Hazardous Polymerization: [X] Will not occur [] Will occur

VII. SPILL, LEAK, AND DISPOSAL PROCEDURES

If material is spilled: Absorb in inert material such as sand or sawdust. Dike in case of large spills. Keep out of irrigation ditches and water supplies. Prevent contact with trees and shrubs. To prevent damage to ornamental plants, treat immediately with activated charcoal at the rate no less than 2 lbs/150 sq. ft. for each pound of active ingredient spilled. Contaminated soil may need to be removed. Consult with state and federal regulatory officials. The reportable quantity, RQ, for a spill of this material to the National Response Center is 100 pounds of active ingredient for 2,4-D, equivalent to more than 40 gallons of this product.

Waste Disposal Method: Dispose according to Federal EPA procedures as outlined in the Resource Conservation Recovery act (RCRA) and follow state and local guidelines. Triple rinse and puncture containers as required. Put rinsate into spray tank for application. Do not reuse pesticide containers for any other purpose.

VIII. SPECIAL PROTECTION INFORMATION

Protective Equipment Suggested for Outdoor Application:

[X] Impervious Gloves [] Dust Mask [] Respirator(use NIOSH/MSHA approved)

[X] Impervious Boots [X] Clean Clothing [X] Eye Goggles / Safety Glasses

Protective Equipment Suggested for Confined Areas:

[X] Sufficient Ventilation [X] Respirator(use NIOSH/MSHA approved) [X] Splash Goggles/Safety Glasses

[X] Eyewash Station [X] Emergency Shower [] Impervious Apron [] Dust Mask

IX. STORAGE AND HANDLING

Precautions: Store in a cool, dry place if possible. Separate from other pesticides, fertilizers, seed, feed, foodstuffs, and away from drains, sewers, and water sources.

Other Precautions: Keep out of reach of children. Practice good care and good safety precautions when handling this product. Avoid contact with eye, skin and clothing. Store in temperature below 100EF(38EC). Do not swallow. Wash thoroughly after handling.

X. FEDERAL REGULATORY INFORMATION

SARA TITLE III; SEC. 311/312 HAZARD CATEGORIES

 Y Immediate (Acute) Health
 SEC 302: NA

 Y Delayed (Chronic) Health
 SEC 304: NA

 N Fire
 SEC 313: NA

N Reactivity CERCLA RQ: 100 lbs (2-4 D)

CERCLA RQ: 100 lbs (2-4 D)

CAA RQ: 1 lb 2-4 D

EPA Reg. No.: 10404-43

NA = Not Applicable

HM 181 Shipping Name: Environmentally Hazardous substance, liquid, N.O.S. (2,4-D salt), 9, UN3082, PG III RQ= 100 lbs. label \$ 41 gals.

ND = Not Determined

Preparation and distribution of this Material Safety Data Sheet done by LESCO, Inc., 20005 Lake Road, Rocky River, Ohio 44116-1545, pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200).

The information contained herein is based on available data. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof; and you should make your investigation to determine safety for the use you contemplate. LESCO, Inc. makes no warranty of merchantability of fitness for a particular use, nor is there any other express or implied warranty except as may be specifically provided otherwise on product.

LESCO, Inc. assumes no responsibility or liability for any incidental or consequential damages whether related to personal injury or property damage, to vendees, users or third parties, caused by the material; and LESCO, Inc.'s responsibility is limited to replacement of, or repayment of, the purchase price for the material(s) with respect to which any damages are claimed. All vendees or users assume all risk associated with the use of the material(s).

For further information, contact: LESCO, Inc., • 20005 Lake Road • Rocky River, Ohio 44116 or (440) 333-9250.