



# Safety Data Sheet

Issue Date: 23-Dec-2010

Revision Date: 06-Apr-2015

Version 1

## 1. IDENTIFICATION

### Product Identifier

Product Name **Quali-Pro 2-D**

### Other means of identification

SDS # ADAMA-135

Registration Number(s) Reg. No. 66222-222  
UN/ID No UN2924

### Recommended use of the chemical and restrictions on use

Recommended Use EPA registered insecticide.

### Details of the supplier of the safety data sheet

#### Manufacturer Address

Makhteshim Agan of North America, Inc. (d/b/a ADAMA)  
3120 Highwoods Blvd., Suite 100  
Raleigh, NC 27604

### Emergency Telephone Number

Company Phone Number 1-919-256-9300  
Emergency Telephone (24 hr) For fire, spill and/or leak contact INFOTRAC:  
1-800-535-5053 (North America) 1-352-323-3500 (International)  
For medical emergencies and health/safety inquiries, contact PROSAR:  
1-877-250-9291

## 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:** This chemical is a product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-EPA registered chemicals. Please see Section 15 for additional EPA information.

**Appearance** Clear liquid

**Physical State** Liquid

**Odor** Faint alkaline

### Classification

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category C
Serious eye damage/eye irritation	Category 1
Flammable Liquids	Category 3

### Hazards Not Otherwise Classified (HNOC)

May be harmful in contact with skin

### Signal Word

**Danger**

**Hazard Statements**

Harmful if swallowed

Harmful if inhaled

Causes severe skin burns and eye damage

Flammable liquid and vapor

**Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

**Precautionary Statements - Response**

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

Do not induce vomiting

IN CASE OF FIRE: Use CO<sub>2</sub>, dry chemical, or alcohol resistant foam to extinguish.**Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other Hazards**

Toxic to aquatic life with long lasting effects

<b>3. COMPOSITION/INFORMATION ON INGREDIENTS</b>
--

Chemical Name	CAS No	Weight-%
Triethylamine	121-44-8	Proprietary
Ethyl Alcohol	64-17-5	Proprietary

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

### First Aid Measures

<b>General Advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Eye Contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Immediately call a poison center or doctor/physician.
<b>Skin Contact</b>	Take off contaminated clothing. Wash off immediately with plenty of water for at least 15 minutes. Call a poison center or doctor/physician if you feel unwell.
<b>Inhalation</b>	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Give oxygen if breathing is difficult. If breathing has stopped, call 911, give artificial respiration. Immediately call a poison center or doctor/physician.
<b>Ingestion</b>	Do not induce vomiting, unless directed by medical personnel. Get immediate medical attention. If conscious, give 1 glass of water to dilute. Never give anything by mouth to an unconscious person.

### Most important symptoms and effects

<b>Symptoms</b>	Causes severe skin burns and eye damage. Harmful if swallowed. Harmful if inhaled. May be harmful in contact with skin.
-----------------	---

### Indication of any immediate medical attention and special treatment needed

<b>Notes to Physician</b>	Treat symptomatically. Probable mucosal damage may contraindicate the use of gastric lavage.
---------------------------	--

## 5. FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Carbon dioxide (CO<sub>2</sub>). Alcohol resistant foam. Dry chemical.

**Unsuitable Extinguishing Media** Not determined.

### Specific Hazards Arising from the Chemical

Flammable liquid and vapor. Material is corrosive.

**Hazardous Combustion Products** Hydrogen chloride. Oxides of nitrogen. Phosgene.

**Sensitivity to Static Discharge** Take precautionary measures against static discharge.

### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Evacuate area of unprotected personnel. Remain upwind of fire to avoid hazardous vapors and decomposition products. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

<b>Personal Precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.
<b>For Emergency Responders</b>	Remove all sources of ignition.

**Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

#### Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Dike far ahead of spill; use dry sand to contain the flow of material.

**Methods for Clean-Up** Collect and reuse if possible. Absorb with inert material and then place in suitable container for chemical waste. Wash down area and collect water for disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Use personal protection recommended in Section 8. Avoid breathing vapors or mists. Use only outdoors or in a well-ventilated area. Follow all product label instructions. Use only as directed. Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Ground/bond container and receiving equipment. Use non-sparking hand tools and explosion-proof electrical equipment. Take precautionary measures against static discharges.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep out of the reach of children. Store at ambient conditions. Do not contaminate water, food, or feed by storage or disposal. Store locked up. Keep/store only in original container. Store away from heat and ignition sources. Store between 40°F and 105°F.

**Packaging Materials** Do not reuse container.

**Incompatible Materials** Oxidizing materials. Strong acids.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethylamine 121-44-8	STEL: 3 ppm TWA: 1 ppm S*	TWA: 25 ppm TWA: 100 mg/m <sup>3</sup> (vacated) TWA: 10 ppm (vacated) TWA: 40 mg/m <sup>3</sup> (vacated) STEL: 15 ppm (vacated) STEL: 60 mg/m <sup>3</sup>	IDLH: 200 ppm
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>

#### Appropriate engineering controls

**Engineering Controls** THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT. FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS OF END USE PRODUCTS CONTAINING THIS MATERIAL, CONSULT THE SDS OR PRODUCT LABEL FOR THE END USE PRODUCT.

**Individual protection measures, such as personal protective equipment**

<b>Eye/Face Protection</b>	Use splash goggles or face shield when contact may occur.
<b>Skin and Body Protection</b>	Wear chemical-resistant gloves, footwear, and protective clothing appropriate for the risk of exposure. Viton or other impervious gloves are required. Long sleeve shirt, trousers, and safety shoes.
<b>Respiratory Protection</b>	Ensure adequate ventilation, especially in confined areas. Wear an appropriate NIOSH/MSHA approved respirator if ventilation is inadequate.
<b>General Hygiene Considerations</b>	Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product.

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

<b>Physical State</b>	Liquid	<b>Odor</b>	Faint alkaline
<b>Appearance</b>	Clear liquid	<b>Odor Threshold</b>	Not determined
<b>Color</b>	Clear		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	7.0-7.5	
Melting Point/Freezing Point	Not determined	
Boiling Point/Boiling Range	Not determined	
Flash Point	> 54 °C / > 130 °F	CC (closed cup)
Evaporation Rate	Not determined	
Flammability (Solid, Gas)	Liquid-not applicable	
Upper Flammability Limits	Not determined	
Lower Flammability Limit	Not determined	
Vapor Pressure	Not determined	
Vapor Density	Not determined	
Specific Gravity	Not determined	
Water Solubility	Not determined	
Solubility in other solvents	Not determined	
Partition Coefficient	Not determined	
Auto-ignition Temperature	Not determined	
Decomposition Temperature	Not determined	
Kinematic Viscosity	Not determined	
Dynamic Viscosity	Not determined	
Explosive Properties	Not determined	
Oxidizing Properties	Not determined	
Density	1.138 g/mL @ 20°C (9.5 lb/gal)	

**10. STABILITY AND REACTIVITY****Reactivity**

Not reactive under normal conditions.

**Chemical Stability**

Stable under recommended storage conditions. However, may decompose if heated.

**Possibility of Hazardous Reactions**

None under normal processing.

<b>Hazardous Polymerization</b>	Material is not known to polymerize.
---------------------------------	--------------------------------------

**Conditions to Avoid**

See Sec. 7 Handling &amp; Storage.

**Incompatible Materials**

Oxidizing materials. Strong acids.

**Hazardous Decomposition Products**

Hydrogen chloride. Nitrogen oxides (NOx). Phosgene.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure****Product Information**

<b>Eye Contact</b>	Causes severe eye damage.
<b>Skin Contact</b>	May be harmful in contact with skin. Causes severe skin burns.
<b>Inhalation</b>	Harmful if inhaled.
<b>Ingestion</b>	Harmful if swallowed.

**Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Triethylamine 121-44-8	= 460 mg/kg ( Rat )	= 570 µL/kg ( Rabbit ) = 415 mg/kg ( Rabbit )	= 1250 ppm ( Rat ) 4 h
Ethyl Alcohol 64-17-5	= 7060 mg/kg ( Rat )	-	= 124.7 mg/L ( Rat ) 4 h

**Information on physical, chemical and toxicological effects**

**Symptoms** Please see section 4 of this SDS for symptoms.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Carcinogenicity** Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	A3	Group 1	Known	X

**Legend**

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Numerical measures of toxicity**

Not determined

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Toxic to aquatic life with long lasting effects. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Triethylamine 121-44-8		43.7: 96 h Pimephales promelas mg/L LC50 static	EC50 = 127 mg/L 2 h EC50 = 95 mg/L 17 h	200: 48 h Daphnia magna mg/L EC50
Ethyl Alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50

### Persistence/Degradability

Not determined.

### Bioaccumulation

Not determined.

### Mobility

Chemical Name	Partition Coefficient
Triethylamine 121-44-8	1.45
Ethyl Alcohol 64-17-5	-0.32

### Other Adverse Effects

Not determined

## 13. DISPOSAL CONSIDERATIONS

### Waste Treatment Methods

#### **Disposal of Wastes**

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

#### **Contaminated Packaging**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### US EPA Waste Number

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Triethylamine 121-44-8	U404	Included in waste streams: K156, K157		U404

### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Ethyl Alcohol 64-17-5	Toxic Ignitable

## 14. TRANSPORT INFORMATION

**Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

### DOT

UN/ID No UN2924  
 Proper Shipping Name Flammable liquids, corrosive, n.o.s. (triethylamine, ethanol)  
 Hazard Class 3  
 Subsidiary Hazard Class 8  
 Packing Group III

### IATA

UN/ID No UN2924  
 Proper Shipping Name Flammable liquids, corrosive, n.o.s. (triethylamine, ethanol)  
 Hazard Class 3  
 Subsidiary Hazard Class 8  
 Packing Group III

### IMDG

UN/ID No UN2924  
 Proper Shipping Name Flammable liquids, corrosive, n.o.s. (triethylamine, ethanol)  
 Hazard Class 3  
 Subsidiary Hazard Class 8  
 Packing Group III  
 Marine Pollutant This material may meet the definition of a marine pollutant

## 15. REGULATORY INFORMATION

### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Triethylamine	Present	X		Present		Present	X	Present	X	X
Ethyl Alcohol	Present	X		Present		Present	X	Present	X	X

### **Legend:**

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*

*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

*EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances*

*ENCS - Japan Existing and New Chemical Substances*

*IECSC - China Inventory of Existing Chemical Substances*

*KECL - Korean Existing and Evaluated Chemical Substances*

*PICCS - Philippines Inventory of Chemicals and Chemical Substances*

*AICS - Australian Inventory of Chemical Substances*

### US Federal Regulations

#### CERCLA

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Triethylamine 121-44-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ



**SARA 311/312 Hazard Categories**

<b>Acute Health Hazard</b>	Yes
<b>Chronic Health Hazard</b>	Yes
<b>Fire Hazard</b>	Yes
<b>Sudden Release of Pressure Hazard</b>	No
<b>Reactive Hazard</b>	No

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Triethylamine - 121-44-8	121-44-8	Proprietary	1.0

**CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Triethylamine	5000 lb			X

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen Developmental

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Triethylamine 121-44-8	X	X	X
Ethyl Alcohol 64-17-5	X	X	X

**EPA Pesticide Registration Number** Reg. No. 66222-222**EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**EPA Pesticide Label**

Signal Word: Danger

Corrosive. Causes irreversible eye damage. Harmful if swallowed or inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield or safety glasses). Avoid breathing spray mist.

**Difference between SDS and EPA pesticide label**

	<b>EPA</b>	<b>OSHA</b>
<b>Signal Word</b>	Danger	Danger
Acute toxicity - Oral	Harmful if swallowed	Harmful if swallowed
Acute toxicity - Dermal	N/A	May be harmful in contact with skin
Acute toxicity - Inhalation (Dusts/Mists)	Harmful if inhaled	Harmful if inhaled
Skin corrosion/irritation	N/A	Causes severe skin burns
Serious eye damage/eye irritation	Causes irreversible eye damage	Causes severe eye damage
Skin sensitization	Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals	N/A

**16. OTHER INFORMATION****NFPA****Health Hazards**

3

**Flammability**

2

**Instability**

0

**Special Hazards**

Not determined

**HMIS****Health Hazards**

3

**Flammability**

2

**Physical Hazards**

0

**Personal Protection**

Not determined

**Issue Date:**

23-Dec-2010

**Revision Date:**

06-Apr-2015

**Revision Note:**

New format

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**